
## Amendments to the Claims

## 1. (currently amended). A compound of Formula (I)



or a pharmaceutically acceptable salt or solvate thereof wherein

R<sup>1</sup> is H, C<sub>1-6</sub>alkyl, C<sub>1-6</sub>haloalkyl, C<sub>1-6</sub>alkoxy, C<sub>1-6</sub>thioalkyl, cyano, halo, C<sub>3-7</sub>cycloalkyl, -C<sub>1-6</sub>alkylene-C<sub>3-7</sub>cycloalkyl, C<sub>2-6</sub>alkenyl or C<sub>3-6</sub>alkynyl;

R<sup>2</sup> is C(D)NR<sup>3</sup>R<sup>4</sup>, D'-D''(R<sup>3</sup>)(R<sup>4</sup>) or CH<sub>2</sub>N R<sup>3</sup>R<sup>4</sup>

D' is CH<sub>2</sub> or a bond;

D" is C, C-OH or CH

wherein

said C is attached to R<sup>3</sup> by a single or double bond; said C is attached to R<sup>4</sup> by a single or double bond; provided that

C is not attached to both R<sup>3</sup> and R<sup>4</sup> by double bonds;

said CH is attached to R<sup>3</sup> and R<sup>4</sup> by single bonds; said C of C-OH is attached to R<sup>3</sup> and R<sup>4</sup> by single bonds;

D is O or S;

R<sup>3</sup> and R<sup>4</sup> are each independently selected from the group consisting of H, C<sub>1-6</sub>alkyl, C<sub>1-6</sub>haloalkyl, -C<sub>1-6</sub>hydroxyalkyl, -C<sub>1-4</sub>alkylene-O-C<sub>1-4</sub>alkyl, -C<sub>1-6</sub>alkylene-C<sub>1-6</sub>thioalkyl, -C<sub>2-6</sub>alkylidene-(C<sub>1-4</sub>alkoxy)<sub>2</sub>, C<sub>3-7</sub>cycloalkyl, -C<sub>1-6</sub>alkylene-C<sub>3-7</sub>cycloalkyl, C<sub>2-6</sub>alkenyl, C<sub>3-6</sub>alkynyl, -C<sub>1-6</sub>alkylene-CN, -C<sub>1-6</sub>alkylene-heterocyclo and -C<sub>1-6</sub>alkylene-aryl;

## BEST AVAILABLE COPY

10/771,766 / CT2662 DIV2

wherein said aryl of said -C<sub>1-6</sub>alkylene-aryl is optionally substituted with one to three of the same or different substituents selected from the group consisting of fluoro, chloro, bromo, cyano, nitro, C<sub>1-4</sub>alkyl and C<sub>1-3</sub>alkoxy;


OL


R<sup>3</sup> and R<sup>4</sup> together with the nitrogen to which they are attached form a five or six-membered heterocycle,

said heterocycle optionally containing one additional heteroatom selected from the group consisting of N, S and O; and

said heterocycle optionally substituted with one or more groups selected from the group consisting of C<sub>1-6</sub>alkyl, C<sub>1-6</sub>alkoxy, aryl, -C<sub>1-4</sub>alkylene-aryl, pyridyl and halogen;

wherein said aryl of said -C<sub>1-4</sub>alkylene-aryl is optionally substituted with one to three of the same or different substituents selected from the group consisting of fluoro, chloro, bromo, cyano, nitro and C<sub>1-3</sub>alkoxy;





wherein

X1 is N and is attached to X;

Y<sup>1</sup> is N and is attached to Y;

G is

wherein

Y<sup>2</sup> is N, CH, CH<sub>2</sub>, <del>C(O),</del> C(S), CR<sup>5</sup> or CHR<sup>5</sup> and is attached to Y<sup>1</sup>;

J is CH, CH<sub>2</sub>, <del>C(O),</del> C(S), CR<sup>6</sup> or CHR<sup>6</sup>;

Z<sup>1</sup> is CH, CH<sub>2</sub>, <del>C(O),</del> C(S), CR<sup>7</sup> or CHR<sup>7</sup> and is attached to Z;

wherein

R<sup>5</sup>, R<sup>6</sup> and R<sup>7</sup> are each independently selected from the group consisting of -CN, -C<sub>1-4</sub>alk(en)ylene-CN, halo, C<sub>1-6</sub>alkyl, C<sub>2-6</sub>alkenyl, C<sub>3-6</sub>alkynyl, C<sub>1-6</sub>haloalkyl, aryl, -C<sub>1-4</sub>alk(en)ylene-aryl, -C<sub>1-4</sub>alk(en)ylene-heterocyclo, heterocyclo, -C<sub>1-4</sub>alk(en)ylene- amino, -C<sub>1-4</sub>alkylene-amino- C<sub>1-4</sub>alkyl, aryl-amino, -amino-(C<sub>1-6</sub>alk(en)yl)<sub>1-2</sub>, -amino-aryl, -amino-heterocyclo, C<sub>1-6</sub>alkoxy, -O- aryl and -O-heterocyclo;

- Z is N-V, wherein V is phenyl, 2-pyridyl or 3-pyridyl substituted with two to three of the same or different substitutents substituents selected from the group consisting of C<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxy, C<sub>1-6</sub>thioalkyl, C<sub>1-4</sub>haloalkyl, halogen, N(C<sub>1</sub>-C<sub>4</sub>alkyl)<sub>2</sub> and CN.
- 2. (currently amended) A compound according to claim 1 wherein V is phenyl or 3-pyridyl and is substituted with two to three of the same or different substitutents substitutents selected from the group consisting of C<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxy, C<sub>1-6</sub>thioalkyl, C<sub>1-4</sub>haloalkyl, halogen, N(C<sub>1</sub>-C<sub>4</sub>alkyl)<sub>2</sub> and CN; said substituents attached at the 2, 4 or 6-positions of said phenyl or said 3-pyridyl.

- 3. (currently amended) A compound according to claim 1 wherein V is 2-pyridyl and is substituted with two of the same or different substitutents substituents selected from the group consisting of C<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxy, C<sub>1-6</sub>thioalkyl, C<sub>1-4</sub>haloalkyl, halogen, N(C<sub>1</sub>-C<sub>4</sub>alkyl)<sub>2</sub> and CN; said substituents attached at the 3 and 5-positions of said 2-pyridyl.
- 4. (original) A compound according to claim 1 wherein R<sup>1</sup> is C<sub>1-6</sub>alkyl or C<sub>1-6</sub>haloalkyl.
- 5. (original) A compound according to claim 1 wherein R<sup>1</sup> is methyl or trifluoromethyl.
- 6. (original) A compound according to claim 1 wherein R<sup>2</sup> is C(D)NR<sup>3</sup>R<sup>4</sup> and D is O.
- 7. (original) A compound according to claim 1 wherein R<sup>2</sup> is CH<sub>2</sub>N R<sup>3</sup>R<sup>4</sup>.
- 8. (original) A compound according to claim 1 wherein R<sup>2</sup> is D'- D''(R<sup>3</sup>)(R<sup>4</sup>), D is a bond and D'' is C-OH.
- 9. (original) A compound according to claim 1 wherein R<sup>2</sup> is D'- D''(R<sup>3</sup>)(R<sup>4</sup>), D is a bond and D'' is C or CH.
- 10. (original) A compound according to claim 1 wherein R³ and R⁴ are each independently selected from the group consisting of H, C<sub>1-6</sub>alkyl, C<sub>1-6</sub>haloalkyl, -C<sub>1-6</sub>hydroxyalkyl, -C<sub>1-4</sub>alkylene-O-C<sub>1-4</sub>alkyl, -C<sub>1-3</sub>alkylene-C<sub>1-6</sub>thioalkyl, -C<sub>2-6</sub>alkylidene-(C<sub>1-4</sub>alkoxy)<sub>2</sub>, C<sub>3-7</sub>cycloalkyl, -C<sub>1-6</sub>alkylene-C<sub>3-7</sub>cycloalkyl, C<sub>2-6</sub>alkenyl, C<sub>3-6</sub>alkynyl and -C<sub>1-6</sub>alkylene-CN.
- 11. (original) A compound according to claim 1 wherein R<sup>3</sup> and R<sup>4</sup> together with the nitrogen to which they are attached form a five or six-membered heterocycle.
- 12. (original) A compound according to claim 1 wherein V is 2, 4, 6-trimethylphenyl.
- 13. (original) A compound according to claim 1 wherein V is 2,4-dichlorophenyl.

- 14. (original) A compound according to claim 1 wherein R<sup>5</sup>, R<sup>6</sup> and R<sup>7</sup> are each independently selected from the group consisting of halogen, C<sub>1-6</sub>alkyl, C<sub>1-6</sub>haloalkyl, benzyl, phenyl, C<sub>1-3</sub>alkyl-imidazolyl, C<sub>1-3</sub>alkyl-indolyl and C<sub>1-3</sub>alkyl-pyridyl.
- 15. (original) A compound according to claim 1 wherein Y<sup>2</sup> is CH<sub>2</sub>, J is CH<sub>2</sub> and Z<sup>1</sup> is CH<sub>2</sub>.
- 16. (original) A compound according to claim 1 wherein  $R^1$  is CN or  $CF_3$  and  $Y^2$  is  $CH_2$ , J is  $CH_2$  and  $Z^1$  is  $CH_2$ .
- 17. (canceled)
- 18. (canceled)
- 19. (original) A compound or pharmaceutically acceptable salt of solvate thereof selected from the group consisting of
  - Cyclopropylmethyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
  - 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid ethyl ester;
  - 2-Ethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid ethyl ester;
  - [2-Trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-yl]-methanol;
  - [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-yl]-methanol;
  - 2-Ethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid cyclopropylmethyl-propyl-amide;
  - 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid pentafluorophenyl ester;
  - 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid phenethyl-propyl-amide;

- 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid cyclobutylmethyl-propyl-amide;
- 2-Methyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine-3-carboxylic acid bis-cyclopropylmethyl-amide;
- Cyclopropylmethyl-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- 3-(3,6-Dihydro-2H-pyridin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 3-Thiomorpholin-4-ylmethyl-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 3-Piperidin-1-ylmethyl-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 3-(2-Methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 3-(4-Methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- Benzyl-methyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Methyl-phenethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Diallyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Dipropyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Butyl-methyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Butyl-ethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Ethyl-(2-methyl-allyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- 3-(3-Phenyl-pyrrolidin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-

tetrahydro-imidazo[1,2-a]pyrimidine;

Cyclopropylmethyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Cyclopropylmethyl-(2,2,3,3,3-pentafluoro-propyl)-[2trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Cyclopropylmethyl-ethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Cyclobutylmethyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Cyclobutylmethyl-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;

Propyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

(2,2,3,3,3-Pentafluoro-propyl)-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Phenethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;

Phenethyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Phenethyl-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Ethyl-phenethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Benzyl-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

Benzyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;

(2-Cyclopropyl-ethyl)-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

- (2-Cyclopropyl-ethyl)-ethyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- (2-Cyclopropyl-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- (2-Cyclopropyl-ethyl)-(2,2,2-trifluoro-ethyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- (4-Fluoro-benzyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- (4-Fluoro-benzyl)-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- (4-Chloro-benzyl)-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- (4-Chloro-benzyl)-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- Allyl-propyl-[2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclopropylmethyl-propyl-amine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-morpholin-4-ylmethyl-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-thiomorpholin-4-ylmethyl-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-piperidin-1-ylmethyl-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-(2-methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-(3-methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- 8-(2-Chloro-4,6-dimethyl-phenyl)-3-(4-methyl-piperidin-1-ylmethyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine;
- Diallyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-

a]pyrimidin-3-ylmethyl]-amine;

Butyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-methyl-amine;

Benzyl-butyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-ethyl-(2-methyl-allyl)-amine;

Benzyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-methyl-amine;

Butyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-ethyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-dipropyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2-methoxy-ethyl)-propyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclobutylmethyl-propyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclobutylmethyl-(2,2,2-trifluoro-ethyl)-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclopropylmethyl-ethyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-(2,2,2-trifluoro-ethyl)-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclopropylmethyl-(2,2,3,3,3-pentafluoro-propyl)-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-(3,3,3-trifluoro-propyl)-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2,2,3,3,3-pentafluoro-propyl)-propyl-amine;

[8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-phenethyl-(3,3,3-trifluoro-propyl)-amine;

- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-phenethyl-(2,2,2-trifluoro-ethyl)-amine:
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-ethyl-phenethyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-phenethyl-propyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2-cyclopropyl-ethyl)-(3,3,3-trifluoro-propyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2-cyclopropyl-ethyl)-ethyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2-cyclopropyl-ethyl)-propyl-amine;
- Benzyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(2-cyclopropyl-ethyl)-(2,2,2-trifluoro-ethyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo [1,2-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo [1,2-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo [1,2-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo [1,2-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo [1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo [1,2-dimethyl-phenyl]-2-trifluoromethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1

imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3,3,3-trifluoro-propyl)-amine;

- a]pyrimidin-3-ylmethyl]-(4-fluoro-benzyl)-(3,3,3-trifluoro-propyl)-amine; (4-Chloro-benzyl)-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-
- (4-Chloro-benzyl)-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-amine;
- Benzyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-amine;
- Allyl-[8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-propyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(4-fluoro-benzyl)-propyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-(3-fluoro-benzyl)-(3,3,3-trifluoro-propyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-

- a]pyrimidin-3-ylmethyl]-(3-fluoro-benzyl)-propyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclopropylmethyl-(2,2,2-trifluoro ethyl)-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo [1,2-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo [1,2-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo [1,2-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo [1,2-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo [1,2-dimethyl-phenyl]-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo [1,2-dimethyl-phenyl]-2-trifluoromethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1,0-dimethyl-1
- a]pyrimidin-3-ylmethyl]-(4-nitro-benzyl)-propyl-amine;
- [8-(2-Chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidin-3-ylmethyl]-cyclobutylmethyl-ethyl-amine;
- 3-(2-Benzyl-pyrrolidin-1-ylmethyl)-8-(2-chloro-4,6-dimethyl-phenyl)-2-trifluoromethyl-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine; and
- 3-(2-Benzyl-pyrrolidin-1-ylmethyl)-2-trifluoromethyl-8-(2,4,6-trimethyl-phenyl)-5,6,7,8-tetrahydro-imidazo[1,2-a]pyrimidine.
- 20. (currently amended). A method of treating depression[5] and anxiety, affective disorders, post-traumatic stress disorder, post-operative stress, beadache, drug addiction, eating disorders and obesity, sudden death due to cardiao disorders, iritable bowel syndrome, hypertension, syndrome X, inflammatory disorders, stress induced immune suppression, infertility, stress induced insomnia and other-sleep disorders, soizures, epilepsy, stroke and cerebral ischemia, traumatic brain injury, yet other disorders requiring neuroprotection, drug or alcohol withdrawal symptoms, other disorders including tachycardia, congestive heart failure, osteoporosis, premature birth, psychosocial dwarfism, ulcers, diarrhea and post-operative ileus comprising the administration of a pharmaceutical composition comprising a compound according to claim 1.